

Index to Volume 44

Authors and Titles

- Adkins, S. W. *See* Magdalita, P. M.
- Afshar-Sterle, S., Pang, E. C. K., Brown, J. S., and Kollmorgen, J. F.
Embryogenic callus induction and plant regeneration in *Triticum tauschii*, the diploid D-genome donor for bread wheat (*Triticum aestivum*) 489
- Alkema, A. J. *See* Ladd, P. G.
- Allaway, W. G. *See* Clarke, P. J.
- Ash, J. E. *See* Barrett, D. J.
- Ashton, D. H., and Martin, D. G.
Regeneration in a pole-stage forest of *Eucalyptus regnans* subjected to different fire intensities in 1982 393
- Ball, M. C. *See* Barrett, D. J.
- Barrett, D. J., Hatton, T. J., Ash, J. E., and Ball, M. C.
Transpiration by trees from contrasting forest types 249
- Battaglia, M.
Effects of seed dormancy and emergence time on the survival and early growth of *Eucalyptus delegatensis* and *E. amygdalina* 123
- Bell, D. T. *See* James, S. A.
- Bell, J. C. *See* House, A. P. N.
- Bell, R. W. *See* Yates, C. J.
- Bell, T. L., and Pate, J. S.
Growth and fire response of selected Epacridaceae of south-western Australia 509
- Benson, C. G. *See* Brubaker, C. L.
- Bertin, P., Kinet, J.-M., and Bouharmont, J.
Heritable chilling tolerance improvement in rice through somaclonal variation and cell line selection 91
- Blake, J., and Hill, R. S.
An examination of the drought and frost tolerance of *Banksia marginata* (Proteaceae) as an explanation of its current widespread occurrence in Tasmania 265
- Bouharmont, J. *See* Bertin, P.
- Bowen, L. H. *See* Twigg, L. E.
- Bower, C. C.
Demonstration of pollinator-mediated reproductive isolation in sexually deceptive species of *Chiloglottis* (Orchidaceae: Caladeniinae) 15
- Bowman, D. M. J. S.
Diversity patterns of woody species on a latitudinal transect from the monsoon tropics to desert in the Northern Territory, Australia 571
- Brooker, M. I. H. *See* Grayling, P. M.
- Brown, J. S. *See* Afshar-Sterle
- Brubaker, C. L., Benson, C. G., Miller, C., and Leach, D. N.
Occurrence of terpenoid aldehydes and lysigenous cavities in the 'glandless' seeds of Australian *Gossypium* species 601
- Byrne, M., Marquez-Garcia, M. I., Uren, T., Smith, D. S., and Moran, G. F.
Conservation and genetic diversity of microsatellite loci in the genus *Eucalyptus* 331
- Clarke, P. J., and Allaway, W. G.
Litterfall in *Casuarina glauca* coastal wetland forests 373
- Connors, G. *See* Woinarski, J. C. Z.
- Cowley, R. A. *See* Navie, S. C.
- Curtis, N. P.
Germination and seedling survival studies of *Xanthorrhoea australis* in the Warby Range State Park, north-eastern Victoria, Australia 635
- Dass, C., and Teyegaga, A.
Growth suppression of some wood-decay and other fungi by *Bacillus subtilis* 705
- Dillon, M. *See* Shearer, B. L.
- Drew, R. A. *See* Magdalita, P. M.

- Duncan, M. J., and Keane, P. J.
Vegetation changes associated with
Phytophthora cinnamomi and its decline
under *Xanthorrhoea australis* in Kinglake
National Park, Victoria 355
- Dyer, A. G.
Reflection of near-ultraviolet radiation
from flowers of Australian native
plants 473
- Eason, C. T. See Twigg, L. E.
- Eldridge, D. J.
Distribution and floristics of terricolous
lichens in soil crusts in arid and semi-arid
New South Wales, Australia 581
- Eldridge, D. J., and Tozer, M. E.
Distribution and floristics of bryophytes in
soil crusts in semi-arid and arid eastern
Australia 223
- Fairfax, R. J. See Fensham, R. J.
- Fensham, R. J., and Fairfax, R. J.
The disappearing grassy balds of the Bunya
Mountains, south-eastern Queensland
543
- Furukawa, A. See Ishikawa, S.-I.
- Godwin, I. D. See Magdalita, P. M.
- Grayling, P. M., and Brooker, M. I. H.
Evidence for the identity of the hybrid
Eucalyptus 'brachyphylla' (Myrtaceae)
from morphology and essential-oil
composition 1
- Corrigenda to: Evidence for the identity of
the hybrid *Eucalyptus* 'brachyphylla'
(Myrtaceae) from morphology and
essential-oil composition (Volume 44,
Number 1) 371
- Groom, P. K., and Lamont, B. B.
Ecogeographical analysis of *Hakea*
(Proteaceae) in south-western Australia
with special reference to leaf morphology
and life form 527
- Granger, L. See Sedgley, M.
- Hatton, T. J. See Barrett, D. J.
- Hill, R. S. See Blake, J.
- Hobbs, R. J. See Yates, C. J.
- House, A. P. N., and Bell, J. C.
Genetic diversity, mating system and
systematic relationships in two red
mahoganies, *Eucalyptus pellita* and
E. scias 157
- Ishikawa, S.-I., Furukawa, A., and Oikawa, T.
Photosynthetic responses to drought
conditions in three coastal dune plants in
relation to their zonal distribution 381
- James, S. A., and Bell, D. T.
Leaf orientation in juvenile *Eucalyptus*
camaldulensis 139
- Johnston, J. See King, R. W.
- Keane, P. J. See Duncan, M. J.
- Kinet, J.-M. See Bertin, P.
- King, D. R. See Twigg, L. E.
- King, R. W., Pate, J. S., and Johnston, J.
Ecotypic differences in the flowering of
Pimelea ferruginea (Thymelaeaceae) in
response to cool temperatures 47
- Kollmorgen, J. F. See Afshar-Sterle, S.
- Ladd, P. G., Alkema, A. J., and Thomson, G. J.
Pollen presenter morphology and anatomy
in *Banksia* and *Dryandra* 447
- Lamont, B. B. See Groom, P. K.
- Leach, D. N. See Brubaker, C. L.
- Magdalita, P. M., Adkins, S. W.,
Godwin, I. D., and Drew, R. A.
An improved embryo-rescue protocol for a
Carica interspecific hybrid 343
- Marquez-Garcia, M. I. See Byrne, M.
- Martin, D. G. See Ashton, D. H.
- Matsuki, M.
Regulation of plant phenolic synthesis:
from biochemistry to ecology and
evolution 613
- Miller, C. See Brubaker, C. L.
- Moran, G. F. See Byrne, M.
- Morrison, S. M., and Scott, J. K.
Variation in populations of *Tribulus*
terrestris (Zygophyllaceae). 2.
Chromosome numbers 191

- Variation in populations of *Tribulus terrestris* (Zygophyllaceae). 3. Isozyme analysis 201
- Morrison, S. M. See also Scott, J. K.
- Navie, S. C., Cowley, R. A., and Rogers, R. W.
The relationship between distance from water and the soil seed bank in a grazed semi-arid subtropical rangeland 421
- O'Brien, S. P.
Timetable of stigmatic receptivity and development and pollen tube growth in *Chamaelium uncinatum* (Myrtaceae) 649
- Odgers, B. M.
Fire, buried germinable seed banks and grass species establishment in an urban eucalypt forest reserve 413
- Oikawa, T. See Ishikawa, S.-I.
- Oliver, B. See Woinarski, J. C. Z.
- Pang, E. C. K. See Afshar-Sterle, S.
- Pate, J. S. See Bell, T. L.
- Pate, J. S. See also King, R. W.
- Potts, B. M. See Sale, M. M.
- Prober, S. M.
Conservation of the grassy white box woodlands: rangewide floristic variation and implications for reserve design 57
- Reid, J. B. See Sale, M. M.
- Roberts, B. R. See Russell, M. J.
- Rogers, R. W. See Navie, S. C.
- Russell, M. J., and Roberts, B. R.
Effects of four low-intensity burns over 14 years on the floristics of a blackbutt (*Eucalyptus pilularis*) forest in southern Queensland 315
- Saenger, P. See Youssef, T.
- Sale, M. M., Potts, B. M., West, A. K., and Reid, J. B.
Molecular differentiation within and between *Eucalyptus risdonii*, *E. amygdalina* and their hybrids using RAPD markers 559
- Schatral, A.
Dormancy in seeds of *Hibbertia hypericoides* (Dilleniaceae) 213
- Scott, J. K., and Morrison, S. M.
Variation in populations of *Tribulus terrestris* (Zygophyllaceae). 1. Burr morphology 175
- Scott, J. K. See also Morrison, S. M.
- Seah, S., Sivasithamparam, K., and Turner, D. W.
The effect of Salicylic acid on resistance in wheat (*Triticum aestivum*) seedlings roots against the take-all fungus, *Gaeumannomyces graminis* var. *tritici* 499
- Sedgley, M., and Granger, L.
Embryology of *Eucalyptus spathulata* and *E. platypus* (Myrtaceae) following selfing, crossing and reciprocal interspecific pollination 661
- Sedgley, M. See also Shuraki, Y. D.
- Sedgley, M. See also Wirthensohn, M. G.
- Setterfield, S. A., and Williams, R. J.
Patterns of flowering and seed production in *Eucalyptus miniata* and *E. tetradonta* in a tropical savanna woodland, northern Australia 107
- Shearer, B. L., and Dillon, M.
Impact and disease centre characteristics of *Phytophthora cinnamomi* infestations of *Banksia* woodlands on the Swan Coastal Plain, Western Australia 79
Susceptibility of plant species in *Banksia* woodlands on the Swan Coastal Plain, Western Australia, to infection by *Phytophthora cinnamomi* 433
Corrigendum to: Susceptibility of plant species in *Banksia* woodlands on the Swan Coastal Plain, Western Australia, to infection by *Phytophthora cinnamomi* (Volume 44, Number 4) 713
- Shuraki, Y. D., and Sedgley, M.
Fruit development of *Pistacia vera* (Anacardiaceae) in relation to embryo abortion and abnormalities at maturity 35
- Sivasithamparam, K. See Seah, S.
- Smith, D. S. See Byrne, M.

- Teyegaga, A. *See* Dass, C.
- Thomson, G. J. *See* Ladd, P. G.
- Tozer, M. E. *See* Eldridge, D. J.
- Turner, D. W. *See* Seah, S.
- Twigg, L. E., King, D. R., Bowen, L. H.,
Wright, G. R., and Eason, C. T.
Fluoroacetate found in *Nemcia spathulata*
411
- Uren, T. *See* Byrne, M.
- West, A. K. *See* Sale, M. M.
- Williams, R. J. *See* Setterfield, S. A.
- Wirthensohn, M. G., and Sedgley, M.
Epicuticular wax structure and regeneration
on developing juvenile *Eucalyptus* leaves
691
- Woinarski, J. C. Z., Connors, G., and
Oliver, B.
The reservation status of plant species and
vegetation types in the Northern Territory
673
- Wright, G. R. *See* Twigg, L. E.
- Yates, C. J., Hobbs, R. J., and Bell, R. W.
Factors limiting the recruitment of
Eucalyptus salmonophloia in remnant
woodlands. III. Conditions necessary for
seed germination 283
- Youssef, T., and Saenger, P.
Anatomical adaptive strategies to flooding
and rhizosphere oxidation in mangrove
seedlings 297

